

L Number	Hits	Search Text	DB	Time stamp
7	662	((directory adj service) same (ldap or dns))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
8	57	((directory adj service) same (ldap or dns)) and migrat\$5 and @ad<20010322	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
10	0	((directory adj service) same (ldap or dns)) and migrat\$5 and @ad<20010322 and (kernel same migrat\$5)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 16:55
11	0	((directory adj service) same (ldap or dns)) and migrat\$5 and @ad<20010322 and (kernel and migrat\$5).clm.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 16:55
9	27	((directory adj service) same (ldap or dns)) and migrat\$5 and @ad<20010322 and kernel	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 16:55
12	108	(migrat\$5 with kernel) and @ad<20010322	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 17:12
13	7	(migrat\$5 with kernel).ab. and @ad<20010322	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 17:23
14	72	(migrat\$5 near4 kernel) and @ad<20010322	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 17:23
15	4	(migrat\$5 near4 kernel).ab. and @ad<20010322	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 17:27
16	2	(migrat\$5 near4 kernel).clm. and @ad<20010322	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 17:27
17	42	(migrat\$5 near4 kernel).detd. and @ad<20010322	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 17:29
18	1	(migrat\$5 near4 kernel near4 (within or "same" or one)).detd. and @ad<20010322	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 17:30
19	13	(migrat\$5 with kernel with (within or "same" or one)).detd. and @ad<20010322	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 17:34

20	7	(migrat\$5 with kernel).ab. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 17:35
21	3	(migrat\$5 near kernel).ab. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 18:01
24	2	"20020085549" and rout\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 18:20
46	1	((encapsulat\$5 or capsul\$5) adj (process)).detd. and @ad<20010322 and (open with network) and (709/220.ccls. or 709/221.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:23
47	28	((directory adj service) same (ldap or dns)) and (709/220.ccls. or 709/221.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
48	4	((directory adj service) same (ldap or dns)) and migrat\$5 and @ad<20010322 and (709/220.ccls. or 709/221.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
49	8	((open with network with connection) same (re-establish\$5 or re-connect\$4 or maintain\$4)) and (709/220.ccls. or 709/221.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
50	3	((migrat\$5 or transfer\$5) with (network near2 connection)).ab. and @ad<20010322 and (709/220.ccls. or 709/221.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
51	0	((encapsulat\$5 or capsul\$5) adj (process or application)).ab. and @ad<20010322 and (709/220.ccls. or 709/221.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
-	118	((open with network with connection) same (re-establish\$5 or re-connect\$4 or maintain\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
-	71	((open with network with connection) same (re-establish\$5 or re-connect\$4 or maintain\$4)) and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:10
-	12	((open with network with connection) same (re-establish\$5 or re-connect\$4 or maintain\$4)) and @ad<20010322 and (capsul\$5 or encapsula\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 16:31
-	5	((open with network with connection) same (re-establish\$5 or re-connect\$4 or maintain\$4)) and @ad<20010322 and (capsul\$5 or encapsula\$5) and migrat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 16:31
-	11	((open with network with connection) same (re-establish\$5 or re-connect\$4 or maintain\$4)) and @ad<20010322 and (open and connection).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:22

-	5622	((re-establish\$5 or re-connect\$4 or maintain\$4)) and ((open with network with communication) or internet).ab. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:24
-	2389	((re-establish\$5 or re-connect\$4 or maintain\$4) and ((open near5 network near5 communication) or internet)).ab. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:23
-	2354	((maintain\$4) and ((open near5 network near5 communication) or internet)).ab. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:24
-	1146	((maintain\$4) and ((open near5 network near5 communication) or internet)).clm. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:24
-	594	((re-establish\$5 or re-connect\$4 or maintain\$4)) and ((open with network with communication) or internet).ab. and @ad<20010322 and (capsul\$5 or encapsulat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:24
-	534	((re-establish\$5 or re-connect\$4 or maintain\$4)) and ((open with network with communication) or internet).ab. and @ad<20010322 and (capsul\$5 or encapsulat\$5) and locat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:25
-	66	((re-establish\$5 or re-connect\$4 or maintain\$4)) and ((open with network with communication) or internet).ab. and @ad<20010322 and (capsul\$5 or encapsulat\$5) and locat\$5 and migrat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:25
-	4	((re-establish\$5 or re-connect\$4 or maintain\$4) and ((open with network with communication) or internet)).ab. and @ad<20010322 and (capsul\$5 or encapsulat\$5) and locat\$5 and migrat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:26
-	4	((re-establish\$5 or re-connect\$4 or maintain\$4) and ((open with network with communication) or internet)).ab. and @ad<20010322 and (capsul\$5 or encapsulat\$5) and locat\$5 and migrat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:27
-	23	((re-establish\$5 or re-connect\$4 or maintain\$4) and ((open with network with communication) or internet)).clm. and @ad<20010322 and (capsul\$5 or encapsulat\$5) and locat\$5 and migrat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/09 17:28
-	1	((open with network with connect\$5) and ((encapsulat\$5 or capsulat\$5) with (process or application))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 12:56
-	113	((open with network with connect\$5) and ((encapsulat\$5 or capsulat\$5) with (process or application))).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 12:57
-	2	((open with network with connect\$5) same ((encapsulat\$5 or capsulat\$5) with (process or application))).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 12:58
-	2	((open with network with connect\$5) same ((encapsulat\$5 or capsulat\$5) with (process or application))).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 12:59

-	1	((open with network) same connect\$5) same ((encapsulat\$5 or capsulat\$5) with (process or application)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:00
-	2	((open with network) same connect\$5) same ((encapsulat\$5 or capsulat\$5) with (process or application)).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:02
-	2232	((migrat\$5 or transfer\$5) with (network near2 connection)) and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:04
-	424	((migrat\$5 or transfer\$5) with (network near2 connection)).ab. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
-	0	((migrat\$5 or transfer\$5) with (network near2 connection) with open).ab. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:05
-	6	((migrat\$5 or transfer\$5) with (network near2 connection) with open) and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:14
-	3	((open with network with connection) same ((encapsulat\$5 or capsul\$5) with process))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:15
-	3	((open with network with connection) same ((encapsulat\$5 or capsul\$5) with (process or application)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:16
-	3	((open with session) same ((encapsulat\$5 or capsul\$5) with (process or application)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:17
-	77	((open with session) and ((encapsulat\$5 or capsul\$5) with (process or application))) and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:17
-	56	((open with network with connection) and ((encapsulat\$5 or capsul\$5) with (process or application))) and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:18
-	33	((open with network with connection) and ((encapsulat\$5 or capsul\$5) with (process or application))) and @ad<20010322 and migrat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:41
-	1840	((encapsulat\$5 or capsul\$5) near5 (process or application))) and @ad<20010322 and migrat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:41
-	576	((encapsulat\$5 or capsul\$5) near (process or application))) and @ad<20010322 and migrat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:41

-	131	((encapsulat\$5 or capsul\$5) near (process or application))) and @ad<20010322 and migrat\$5 and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:42
-	49	((encapsulat\$5 or capsul\$5) near (process or application)) and @ad<20010322 and migrat\$5 and (network same open\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:45
-	2	((encapsulat\$5 or capsul\$5) near (process or application)).ab. and @ad<20010322 and migrat\$5 and (network same open\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 13:43
-	0	((encapsulat\$5 or capsul\$5) near (process or application)).clm. and @ad<20010322 and migrat\$5 and (network same open\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 14:12
-	478	((encapsulat\$5 or capsul\$5) adj (process or application)).ab. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:24
-	434	((encapsulat\$5 or capsul\$5) adj (process)).ab. and @ad<20010322	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 14:14
-	0	((encapsulat\$5 or capsul\$5) adj (process)).ab. and @ad<20010322 and (open adj network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 14:15
-	0	((encapsulat\$5 or capsul\$5) adj (process)).ab. and @ad<20010322 and (open with network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 14:15
-	1	((encapsulat\$5 or capsul\$5) adj (process)).clm. and @ad<20010322 and (open with network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 14:15
-	26	((encapsulat\$5 or capsul\$5) adj (process)).detd. and @ad<20010322 and (open with network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 19:23
-	2	5938722.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 14:35
-	0	((encapsulat\$5 or capsul\$5) adj (process or application)).ab. and @ad<20010322 and vmware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/10 14:37